



RESULTADO DEFINITIVO - PROVA PRÁTICA

| INSCRIÇÃO | NOME | ÁREA | FREQUÊNCIA | 1. Apresentar-se adequadamente | | 2. Identificar e manusear adequadamente os equipamentos da área | | 3. Uso dos equipamentos de proteção individual | | 4. Habilidade na execução da tarefa e manuseio do material | | 5. Realizar o procedimento proposto dentro do tempo máximo estipulado | | 6. Criatividade na resolução na execução da tarefa. | | PONTUAÇÃO FINAL | STATUS | |
|-----------|---|---------------------------------------|------------|--------------------------------|-----------|---|-----------|--|-----------|--|-----------|---|-----------|---|-----------|-----------------|-----------|----------|
| | | | | 1º MEMBRO | 2º MEMBRO | 1º MEMBRO | 2º MEMBRO | 1º MEMBRO | 2º MEMBRO | 1º MEMBRO | 2º MEMBRO | 1º MEMBRO | 2º MEMBRO | 1º MEMBRO | 2º MEMBRO | | | |
| 294075 | ALANE PAINS OLIVEIRA DO MONTE | MÉDICO VETERINÁRIO | PRESENTE | 4,0 | 3,8 | 2,5 | 1,9 | 5,0 | 5,0 | 2,0 | 1,9 | 2,8 | 2,8 | 3,0 | 3,0 | 18,83 | REPROVADO | |
| 289929 | ALINE DA COSTA CONSTANTINO | MÉDICO VETERINÁRIO | PRESENTE | 2,0 | 3,6 | 3,5 | 2,6 | 5,0 | 5,0 | 3,0 | 2,6 | 3,5 | 3,5 | 2,5 | 2,5 | 19,69 | REPROVADO | |
| 285630 | CARINA RODRIGUES DA SILVA | MÉDICO VETERINÁRIO | PRESENTE | 2,5 | 3,8 | 7,5 | 5,5 | 5,0 | 5,0 | 7,0 | 5,5 | 6,5 | 7,0 | 5,0 | 5,5 | 32,90 | APROVADO | |
| 281474 | CAROLINA BOESELSCHERER | MÉDICO VETERINÁRIO | AUSENTE | - | - | - | - | - | - | - | - | - | - | - | - | 0,00 | REPROVADO | |
| 289043 | ERICA EMERENCIANO ALBUQUERQUE | MÉDICO VETERINÁRIO | PRESENTE | 3,6 | 3,8 | 6,5 | 4,7 | 5,0 | 5,0 | 6,5 | 4,7 | 7,0 | 7,0 | 4,5 | 6,0 | 32,17 | APROVADO | |
| 290687 | FERNANDA VIEIRA HENRIQUE | MÉDICO VETERINÁRIO | PRESENTE | 3,7 | 3,9 | 3,8 | 2,9 | 6,0 | 6,9 | 3,8 | 2,9 | 6,5 | 7,0 | 3,0 | 4,0 | 27,22 | APROVADO | |
| 293799 | FERNANDO NARDI DRUMMOND | MÉDICO VETERINÁRIO | AUSENTE | - | - | - | - | - | - | - | - | - | - | - | - | 0,00 | REPROVADO | |
| 288707 | GUILLERMO CARLOS VEIGA DE OLIVEIRA | MÉDICO VETERINÁRIO | PRESENTE | 3,5 | 4,0 | 8,0 | 7,2 | 7,0 | 7,0 | 7,5 | 7,2 | 6,8 | 7,0 | 5,5 | 6,0 | 38,38 | APROVADO | |
| 289996 | KAYO EDUARDO DE ANDRADE LIMA | MÉDICO VETERINÁRIO | AUSENTE | - | - | - | - | - | - | - | - | - | - | - | - | 0,00 | REPROVADO | |
| 318752 | MARILIA GABRIELE PRADO ALBUQUERQUE FERREIRA | MÉDICO VETERINÁRIO | PRESENTE | 3,0 | 4,0 | 6,5 | 6,2 | 5,0 | 6,5 | 6,5 | 6,2 | 7,0 | 7,0 | 6,0 | 6,0 | 34,99 | APROVADO | |
| 316450 | PRISCILLA BARTOLOMEU DE ARAÚJO | MÉDICO VETERINÁRIO | PRESENTE | 3,8 | 3,7 | 2,0 | 1,7 | 5,0 | 5,0 | 2,0 | 1,7 | 4,0 | 5,6 | 2,5 | 2,0 | 19,47 | REPROVADO | |
| 284257 | RAFAEL ALEXANDRE QUEIROZ | MÉDICO VETERINÁRIO | PRESENTE | 3,5 | 3,8 | 4,5 | 1,8 | 5,0 | 6,0 | 4,5 | 1,8 | 5,0 | 5,6 | 2,0 | 3,0 | 23,24 | APROVADO | |
| 285766 | SÉRGIO DIEGO PASSOS COSTA | MÉDICO VETERINÁRIO | PRESENTE | 2,5 | 3,8 | 1,0 | 1,5 | 5,0 | 5,0 | 1,0 | 1,5 | 2,0 | 2,1 | 2,5 | 2,0 | 14,90 | REPROVADO | |
| 281189 | VANESSA MORAES DA SILVA | MÉDICO VETERINÁRIO | PRESENTE | 3,5 | 3,7 | 1,0 | 0,7 | 5,0 | 4,0 | 1,0 | 0,7 | 3,0 | 2,1 | 2,0 | 2,1 | 14,42 | REPROVADO | |
| 281370 | WARLEY GOMES DOS SANTOS | MÉDICO VETERINÁRIO | PRESENTE | 3,5 | 3,8 | 4,0 | 3,8 | 5,0 | 5,0 | 4,0 | 3,8 | 5,5 | 6,3 | 4,0 | 4,0 | 26,38 | APROVADO | |
| 287547 | AURÉLIO CARVALHO DE SOUZA JUNIOR | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 7,5 | 7,2 | 7,0 | 7,0 | 5,0 | 5,0 | 6,2 | 6,5 | 6,0 | 6,0 | 35,70 | APROVADO | |
| 286067 | CARLA DANIELA DE SALES PESSOA | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 7,8 | 8,0 | 7,0 | 7,0 | 7,0 | 6,8 | 7,0 | 7,0 | 6,0 | 6,0 | 38,80 | APROVADO | |
| 286245 | ERICK DOUGLAS SOUZA ALMEIDA | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 6,5 | 6,5 | 6,5 | 6,5 | 3,5 | 3,5 | 6,0 | 6,0 | 6,0 | 6,0 | 32,50 | APROVADO | |
| 284061 | FABRICIO ANGELO GABRIEL | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 7,8 | 7,9 | 7,0 | 7,0 | 6,0 | 6,0 | 6,0 | 6,0 | 6,0 | 6,0 | 36,85 | APROVADO | |
| 291823 | GABRIELA DIAS ROCHA | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 6,4 | 6,5 | 7,5 | 7,5 | 7,0 | 7,0 | 6,0 | 6,0 | 38,95 | APROVADO | |
| 286050 | GIORDANNI CABRAL DANTAS | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 7,0 | 7,0 | 7,5 | 7,5 | 7,0 | 7,0 | 6,0 | 6,0 | 39,50 | APROVADO | |
| 292699 | ILLAIRA LEYDIRA CARVALHO BANDEIRA | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 7,0 | 7,0 | 5,0 | 5,5 | 7,0 | 7,0 | 6,0 | 6,0 | 37,25 | APROVADO | |
| 283706 | JÉSSICA FERNANDA DA SILVA | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 7,5 | 7,5 | 6,0 | 6,0 | 7,5 | 7,5 | 7,0 | 7,0 | 6,0 | 6,0 | 38,00 | APROVADO | |
| 283096 | MARIA REIS VALOIS COELHO | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | AUSENTE | - | - | - | - | - | - | - | - | - | - | - | - | 0,00 | REPROVADO | |
| 288948 | RAFAEL DIEGO BARBOSA SOARES | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 7,0 | 7,0 | 7,0 | 7,0 | 6,3 | 6,5 | 7,0 | 7,0 | 5,3 | 5,0 | 36,55 | APROVADO | |
| 295204 | THAIS BRITO DE OLIVEIRA MOURA | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 4,0 | 7,0 | 4,0 | 4,0 | 5,0 | 5,0 | 6,0 | 6,0 | 34,00 | APROVADO | |
| 289283 | THAIS CORREIA MAGALHÃES | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 7,0 | 7,0 | 7,9 | 8,0 | 7,0 | 7,0 | 6,0 | 6,0 | 39,95 | APROVADO | |
| 317878 | TIAGO TEIXEIRA DA PAZ | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 7,0 | 7,0 | 4,5 | 4,3 | 7,0 | 7,0 | 6,0 | 6,0 | 36,40 | APROVADO | |
| 291240 | UITAMARA DOS SANTOS | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 7,0 | 7,0 | 8,0 | 8,0 | 7,0 | 7,0 | 6,0 | 6,0 | 40,00 | APROVADO | |
| 292709 | VANÚZIA GONÇALVES MENEZES | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 7,0 | 7,0 | 7,9 | 8,0 | 7,0 | 7,0 | 6,0 | 6,0 | 39,95 | APROVADO | |
| 283114 | YASMIN BRUNA DE SIQUEIRA BEZERRA | TÉCNICO DE LABORATÓRIO/ÁREA: BIOLOGIA | AUSENTE | - | - | - | - | - | - | - | - | - | - | - | - | 0,00 | REPROVADO | |
| 286320 | ANDERSON DE ABREU DA SILVA | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,5 | 3,5 | 6,8 | 6,7 | 6,2 | 6,0 | 6,0 | 6,2 | 3,9 | 3,7 | 4,7 | 5,0 | 31,10 | APROVADO | |
| 289197 | ANTONIO HERBERT MENDONÇA DOS SANTOS | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 4,0 | 4,0 | 3,1 | 3,2 | 6,2 | 6,0 | 2,1 | 2,9 | 2,1 | 2,2 | 2,0 | 2,1 | 19,95 | REPROVADO | |
| 291010 | BRAULIO DE VILHENA AMORIM TOSTES | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 4,0 | 4,0 | 5,7 | 5,9 | 6,0 | 6,0 | 4,5 | 4,6 | 3,2 | 3,4 | 3,8 | 3,0 | 27,05 | APROVADO | |
| 316618 | DANIEL MARINHO DE BARROS | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,2 | 3,1 | 3,1 | 3,0 | 5,7 | 5,8 | 2,3 | 2,8 | 2,0 | 2,1 | 2,2 | 2,0 | 18,65 | REPROVADO | |
| 289492 | DURVAL CESAR BATISTA DE CARVALHO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,5 | 3,5 | 7,2 | 7,1 | 6,0 | 5,9 | 7,1 | 7,2 | 4,2 | 4,0 | 5,5 | 5,4 | 33,30 | APROVADO | |
| 282117 | FÁBIO XAVIER ANTUNES SAMPAIO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | AUSENTE | - | - | - | - | - | - | - | - | - | - | - | - | 0,00 | REPROVADO | |
| 285689 | GERFESON DE ARAÚJO SILVA | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,5 | 3,5 | 5,9 | 5,9 | 6,4 | 6,3 | 5,1 | 5,0 | 3,3 | 3,4 | 4,8 | 4,9 | 29,00 | APROVADO | |
| 285440 | ÍNDIRA CAROLINA BRITO PIRES | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,8 | 3,8 | 6,3 | 5,9 | 6,0 | 5,9 | 5,5 | 5,4 | 6,0 | 6,4 | 3,8 | 3,8 | 31,30 | APROVADO | |
| 295911 | IOLANDA SOUZA DO CARMO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,2 | 3,4 | 3,0 | 3,0 | 6,1 | 6,0 | 2,3 | 2,4 | 2,1 | 2,0 | 1,5 | 1,6 | 18,30 | REPROVADO | |
| 295723 | IONÉ SABRINA MOURA ANTÃO DA SILVA | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,5 | 3,5 | 3,4 | 3,6 | 5,7 | 5,9 | 2,8 | 2,7 | 2,5 | 2,0 | 1,0 | 1,6 | 19,10 | REPROVADO | |
| 286796 | JACQUELINE MORAIS DA COSTA | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,1 | 3,0 | 3,2 | 3,0 | 5,4 | 5,5 | 2,3 | 2,4 | 2,1 | 2,2 | 1,0 | 1,1 | 17,15 | REPROVADO | |
| 291897 | JOSÉ CARLOS COSTA DE MOURA JÚNIOR | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,5 | 3,5 | 1,1 | 1,0 | 6,2 | 6,1 | 1,6 | 1,8 | 1,5 | 1,4 | 0,8 | 0,7 | 14,60 | REPROVADO | |
| 288645 | JOSE IAGO GUIMARÃES DOS SANTOS | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,1 | 3,2 | 0,0 | 0,0 | 5,5 | 5,6 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 8,70 | REPROVADO | |
| 321380 | JOSÉ MICHAEL SILVA DE ARAÚJO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,8 | 3,8 | 4,1 | 4,4 | 5,8 | 5,7 | 3,0 | 2,9 | 2,9 | 2,8 | 1,4 | 1,4 | 21,00 | APROVADO | |
| 286892 | JOYCE ARAUJO BORGES | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,0 | 3,0 | 1,0 | 1,1 | 5,5 | 5,5 | 0,5 | 0,8 | 0,0 | 0,0 | 0,3 | 0,0 | 10,60 | REPROVADO | |
| 289346 | KAIANY DINA AMORIM FERREIRA | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 2,3 | 2,2 | 0,0 | 0,0 | 3,0 | 3,1 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 5,30 | REPROVADO | |
| 285145 | MATHEUS DOS ANJOS MARTINS | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 2,5 | 2,4 | 3,0 | 2,9 | 3,0 | 3,1 | 2,3 | 2,4 | 2,6 | 2,5 | 1,4 | 1,5 | 14,80 | REPROVADO | |
| 320512 | MILENA SANTOS PINELLI | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,8 | 3,8 | 6,5 | 6,6 | 6,4 | 6,3 | 6,9 | 6,9 | 6,9 | 3,6 | 3,6 | 4,2 | 4,4 | 31,50 | APROVADO |
| 292353 | PALOMA BISPO COELHO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,7 | 3,7 | 6,4 | 6,5 | 6,1 | 6,0 | 7,0 | 7,0 | 4,6 | 4,4 | 4,4 | 4,5 | 32,15 | APROVADO | |
| 291131 | PATRISIA DO NASCIMENTO DELGADO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,5 | 3,5 | 2,9 | 3,0 | 5,5 | 5,7 | 3,6 | 3,5 | 2,3 | 2,2 | 1,9 | 2,0 | 19,80 | REPROVADO | |
| 286847 | RAIRA FEITOSA DOS SANTOS | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | AUSENTE | - | - | - | - | - | - | - | - | - | - | - | - | 0,00 | REPROVADO | |
| 282014 | RIVÂNIA CALAÇA MENEZES | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,3 | 3,3 | 1,5 | 1,4 | 3,0 | 3,1 | 1,1 | 1,2 | 1,0 | 0,8 | 0,0 | 0,0 | 9,85 | REPROVADO | |
| 288324 | SARA DOS SANTOS NASCIMENTO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,5 | 3,5 | 4,3 | 4,2 | 6,2 | 6,3 | 4,3 | 4,1 | 3,5 | 3,6 | 1,0 | 0,8 | 22,65 | APROVADO | |
| 281575 | THAISLA DOS SANTOS AGUIAR | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 2,9 | 2,8 | 1,0 | 1,1 | 5,8 | 5,7 | 1,5 | 1,4 | 0,9 | 0,8 | 0,0 | 0,4 | 12,15 | REPROVADO | |
| 285673 | THALYS DE FREITAS FERNANDES | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 4,0 | 4,0 | 4,1 | 4,1 | 7,0 | 7,0 | 3,5 | 3,4 | 4,2 | 4,2 | 1,6 | 1,7 | 24,40 | APROVADO | |
| 301703 | VALDIRIO ALEXANDRE GADELHA SEGUNDO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 4,0 | 4,0 | 2,4 | 2,6 | 7,0 | 7,0 | 3,0 | 3,1 | 3,3 | 3,3 | 4,3 | 4,3 | 24,15 | APROVADO | |
| 292818 | VITOR SOUZA BARRETO | TÉCNICO DE LABORATÓRIO/ÁREA: QUÍMICA | PRESENTE | 3,0 | 3,0 | 1,5 | 1,4 | 5,0 | 5,1 | 1,9 | 2,1 | 1,6 | 1,5 | 0,5 | 0,4 | 13,50 | REPROVADO | |
| 283898 | GIOVANNI GUIMARÃES VIANA | TÉCNICO EM ELETRÔNICA | PRESENTE | 4,0 | 4,0 | 8,0 | 8,0 | 7,0 | 7,0 | 4,0 | 5,0 | 6,0 | 5,0 | 2,0 | 1,0 | 30,50 | APROVADO | |